

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	37	((drive or storage or HDD or device) near3 (configur\$5)) with (characteristic or attribute or feature or propert\$3) with (initializ\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:07
L3	6	((drive or storage or HDD or device) near4 (configur\$5) near4 (initializ\$5)) with (characteristic or attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L4	15	((drive or storage or HDD or device) near4 (initializ\$5)) with (characteristic or attribute) near4 (configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L5	15	L4 not L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L6	39	(drive or HDD or device or DASD) near8 (configur\$5) near8 (initializ\$5) with (characteristic or attribute or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L7	11638	(711/170 or 711/171 or 711/172 or 711/173 or 711/112 or 711/147 or 713/1 or 710/10)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L8	4687	(drive or storage or HDD or device) near3 (configur\$5) with (characteristic or attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L9	121	L7 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06

L10	60	L7 and L8 and (capacity or emulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L11	61	L9 not L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L12	11	(drive or HDD or device or DASD) near3 (configur\$5) with (characteristic or attribute) with initializ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L13	828799	HITACHI.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L14	14	(drive or HDD or device or DASD) near20 (configur\$5) near20 (characteristic or attribute) near20 initializ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L15	255	(drive or HDD or device or DASD) same (configur\$5) same (characteristic or attribute) same initializ\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L16	3	L13 and L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L17	5184097	(attribute or feature or characteristic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06

L18	351	(unknown or "not known" or unrecognized or unidentified) near6 (device or dis\$1 or element or memory or DASD) with (initializ\$5 or configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L19	35	L18 same L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06
L20	50	L18 and ("710"/\$4 or 713/1 or 713/2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:06

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L22	37	((drive or storage or HDD or device) with (configur\$5)) same (characteristic or attribute or feature or propert\$3) same (initializ\$5)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:24
L23	49	((unknown or "not known" or unrecognized or unidentified) near6 (device or dis\$1 or element or memory or DASD) with (initializ\$5 or configur\$5)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/02/08 12:28